

Thingsboard MQTT Broker 'TBMQ'

port 1883 auf 1889 geändert, weil die Thingsboardinstanz schon den Port 1883 verwendet.

```
#
# Copyright © 2016-2024 The Thingsboard Authors
#
# Licensed under the Apache License, Version 2.0 (the "License");
# you may not use this file except in compliance with the License.
# You may obtain a copy of the License at
#
#   http://www.apache.org/licenses/LICENSE-2.0
#
# Unless required by applicable law or agreed to in writing, software
# distributed under the License is distributed on an "AS IS" BASIS,
# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
# See the License for the specific language governing permissions and
# limitations under the License.
#

version: "3.0"
services:
  postgres:
    restart: always
    image: "postgres:15"
    ports:
      - "5432"
    environment:
      POSTGRES_DB: thingsboard_mqtt_broker
      POSTGRES_PASSWORD: postgres
    volumes:
      - tbmq-postgres-data:/var/lib/postgresql/data
  kafka:
    restart: always
    image: "bitnami/kafka:3.5.1"
```

ports:

- "9092"

environment:

KAFKA_CFG_NODE_ID: 0

KAFKA_CFG_PROCESS_ROLES: controller,broker

KAFKA_CFG_CONTROLLER_QUORUM_VOTERS: 0@kafka:9093

KAFKA_CFG_LISTENERS: PLAINTEXT://:9092,CONTROLLER://:9093

KAFKA_CFG_ADVERTISED_LISTENERS: PLAINTEXT://:9092

KAFKA_CFG_LISTENER_SECURITY_PROTOCOL_MAP: CONTROLLER:PLAINTEXT,PLAINTEXT:PLAINTEXT

KAFKA_CFG_CONTROLLER_LISTENER_NAMES: CONTROLLER

KAFKA_CFG_INTER_BROKER_LISTENER_NAME: PLAINTEXT

volumes:

- tbmq-kafka-data:/bitnami/kafka

tbmq:

restart: always

image: "thingsboard/tbmq:1.3.0"

depends_on:

- postgres
- kafka

ports:

- "8083:8083"
- "1889:1883"
- "8084:8084"

environment:

TB_SERVICE_ID: tbmq

SPRING_DATASOURCE_URL: jdbc:postgresql://postgres:5432/thingsboard_mqtt_broker

SPRING_DATASOURCE_USERNAME: postgres

SPRING_DATASOURCE_PASSWORD: postgres

TB_KAFKA_SERVERS: kafka:9092

SECURITY_MQTT_BASIC_ENABLED: "true"

#JAVA_OPTS: "-Xmx2048M -Xms2048M -Xss384k -XX:+AlwaysPreTouch"

volumes:

- tbmq-logs:/var/log/thingsboard-mqtt-broker
- tbmq-data:/data

volumes:

tbmq-postgres-data:

external: true

tbmq-kafka-data:

external: true

```
tbmq-logs:  
  external: true  
tbmq-data:  
  external: true
```

Revision #1

Created 2024-05-13 19:40:29 UTC

Updated 2024-06-15 15:07:40 UTC