
CLI-Tools

- Atuin (History-Manager)
- BTOP++
- Lazydocker installieren

Atuin (History-Manager)




https://atuin.sh/

https://github.com/atuinsh/atuin

```
curl --proto '=https' --tlsv1.2 -LsSf https://setup.atuin.sh | sh
```

restart cli, dann STRG+R oder 'atuin'


BTOP++



https://github.com/aristocratos/btop

```
snap install btop
```

Lazydocker installieren



https://github.com/jesseduffield/lazydocker#installation

Variante 1: Leicht (Offizielles Skript)

```
# Installationsskript mit bash ausführen
curl
https://raw.githubusercontent.com/jesseduffield/lazydocker/master/scripts/install_update_linux
.sh | bash

# Checken wo lazydocker liegt (dauert, kann man auch skippen):
find / -name lazydocker 2>/dev/null

# Pfad zur .bashrc pflegen:
echo 'export PATH="$HOME/.local/bin:$PATH"' >> ~/.bashrc
```

danach CLI neustarten!

Variante 2: Schwer (Brew)

https://brew.sh

Falls root, vorher neuen Sudo-User anlegen, ansonsten gibt das Brew-Installationsskript 'Don't run this as root!' zurück:

```
sudo adduser [username]
usermod -aG sudo [username]
id [username] | grep sudo
su [username]
```

brew installieren:

```
/bin/bash -c "$(curl -fsSL
https://raw.githubusercontent.com/Homebrew/install/HEAD/install.sh)"
```

zu bashrc hinzufügen (USERNAME ersetzen):

```
echo >> /home/USERNAME/.bashrc
echo 'eval "$(/home/linuxbrew/.linuxbrew/bin/brew shellenv)"' >> /home/USERNAME/.bashrc
eval "$(/home/linuxbrew/.linuxbrew/bin/brew shellenv)"
```

Nähere Infos:

```
==> Next steps:
- Run these commands in your terminal to add Homebrew to your PATH:
    echo >> /home/pl-admin/.bashrc
    echo 'eval "$(/home/linuxbrew/.linuxbrew/bin/brew shellenv)"' >> /home/pl-admin/.bashrc
    eval "$(/home/linuxbrew/.linuxbrew/bin/brew shellenv)"
- Install Homebrew's dependencies if you have sudo access:
    sudo apt-get install build-essential
  For more information, see:
    https://docs.brew.sh/Homebrew-on-Linux
- We recommend that you install GCC:
    brew install gcc
```

```
- Run brew help to get started
- Further documentation:
    https://docs.brew.sh
```

Lazydocker installieren:

> Normally `lazydocker` formula can be found in the Homebrew core but we suggest you to tap our formula to get frequently updated one. It works with Linux, too.

Tap:

```
brew install jesseduffield/lazydocker/lazydocker
```

Core:

```
brew install lazydocker
```

oder

```
brew install gcc
brew install --build-from-source lazydocker
```