


Nextcloud Befehle CLI und DB

Interaktiv in der Console

```
docker exec -it -u 33 nextcloud-app-1 /bin/bash
# im container dann zb sowas ausführen:
php occ files:scan --all
# nur Dateien eines bestimmten Users scannen:
php occ files:scan pl-admin
```

```
root@ubuntu-praxistool-arm64:~# docker exec -it -u 33 nextcloud-app-1 /bin/bash
www-data@b6006b6ce09:~/html$ php occ files:scan --all
Starting scan for user 1 out of 12 (405314952f61)
Starting scan for user 2 out of 12 (8d355475fc4ba)
Starting scan for user 3 out of 12 (a.k
Starting scan for user 4 out of 12 (a.l
Starting scan for user 5 out of 12 (b08f54f809851)
Starting scan for user 6 out of 12 (d4bd1c71a207ae)
Starting scan for user 7 out of 12 (ea008c57ae9ce)
Starting scan for user 8 out of 12 (Eik
Starting scan for user 9 out of 12 (pl-
Starting scan for user 10 out of 12 (pra
Starting scan for user 11 out of 12 (s.s
Starting scan for user 12 out of 12 (the
+-----+-----+-----+-----+-----+-----+
| Folders | Files | New | Updated | Removed | Errors | Elapsed time |
+-----+-----+-----+-----+-----+-----+
| 2       | 0     | 0   | 0       | 0       | 0       | 00:00:01     |
+-----+-----+-----+-----+-----+-----+
www-data@b6006b6ce09:~/html$
[0] 0:docker* 1:nc-
```

Autoakzeptieren von Gruppenfreigaben bei neu angelegten Usern



Problem

<https://github.com/nextcloud/server/issues/19520>

<https://github.com/nextcloud/server/issues/18958>

Neu angelegte User müssen zuerst Freigaben im Ordner 'Ausstehende Freigaben' akzeptieren, die mit ihrer Gruppe geteilt sind, bevor die freigegebenen Ordner unter 'Alle Dateien' angezeigt werden.

Erhoffte Lösung: zwei Environment Flags

https://docs.nextcloud.com/server/latest/admin_manual/configuration_server/config_sample_php_parameters.html#sharing-enable-share-accept

- `sharing.enable_share_accept false`
- `sharing.force_share_accept false`

Leider keine Änderung

DB Workaround

<https://github.com/nextcloud/server/issues/19520#issuecomment-2210405574>

Man kann die PostgreSQL Tabelle 'oc_share' so abändern, dass der DEFAULT Wert in der Spalte 'accepted' immer 1 ist und nicht 0:

```

# interaktiv mit DB-Container verbinden
docker exec -it nextcloud-db-1 /bin/bash

# mit PostgreSQL DB verbinden
psql -U nextcloud nextcloud
# oder bei nextcloud-aio manual-install (dbname, dbuser und dbpassword in config/config.php
nachsehen)
psql -U oc_nextcloud -d nextcloud_database

# Für Nextcloud OIDC_user_backend App
# alle bisherigen accepted=0 in =1 ändern:
UPDATE oc_share SET accepted = 1 WHERE accepted = 0;

# Für dauerhaft autoaccept (geht nicht bei Nextcloud OIDC_user_backend App)
# Default von Spalte accepted ändern (bisherige accepted=0 bleiben unverändert)
ALTER TABLE oc_share ALTER COLUMN accepted SET DEFAULT 1;

# weitere Befehle zum Browsen:
# alle Tabellen anzeigen
\d

# Tabelleninfos anzeigen
\d oc_share

# oc_share anzeigen
SELECT * FROM oc_share;

```

Dateien in der Datenbank suchen

```

nextcloud_database->SELECT u.uid as username, f.name as filename, f.path, f.size, s.id as storage_name FROM oc_filecache f JOIN oc_storages s ON f.storage = s.numeric_id LEFT JOIN oc_users u ON s.id LIKE CONCAT('home%', u.uid, '%') WHERE f.name LIKE '%
username | filename | size | storage_name | path
-----
admin | Online GKV Antrag Prob. 11.12 | 7894254 | home::admin | files | @_Intranet/83 Best Practice/1 Videolanleitungen/CGM/PatientInnen | Online GKV Antrag Prob. 11.12
admin | Anmeldung | 89961 | home::admin | files | @_Intranet/83 Best Practice/1 Videolanleitungen/CGM/PatientInnen | Online GKV Antrag Prob. 11.12/Anmeldung M
admin | Absagepro | 279288 | home::admin | files | @_Intranet/83 Best Practice/1 Videolanleitungen/CGM/PatientInnen | Online GKV Antrag Prob. 11.12/Anträge/Prot
admin | Antrag Pr | 276754 | home::admin | files | @_Intranet/83 Best Practice/1 Videolanleitungen/CGM/PatientInnen | Online GKV Antrag Prob. 11.12/Anträge/Prot
admin | Dringlich | 921225 | home::admin | files | @_Intranet/83 Best Practice/1 Videolanleitungen/CGM/PatientInnen | Online GKV Antrag Prob. 11.12/Anträge/Prot
admin | KV_Probat | 128828 | home::admin | files | @_Intranet/83 Best Practice/1 Videolanleitungen/CGM/PatientInnen | Online GKV Antrag Prob. 11.12/Anträge/Prot
admin | Konsiliar | 928313 | home::admin | files | @_Intranet/83 Best Practice/1 Videolanleitungen/CGM/PatientInnen | Online GKV Antrag Prob. 11.12/Anträge/Prot
admin | Konsiliar | 968892 | home::admin | files | @_Intranet/83 Best Practice/1 Videolanleitungen/CGM/PatientInnen | Online GKV Antrag Prob. 11.12/Anträge/Prot
admin | PTV11 | 2414951 | home::admin | files | @_Intranet/83 Best Practice/1 Videolanleitungen/CGM/PatientInnen | Online GKV Antrag Prob. 11.12/Anträge/Prot
admin | TSS | 288991 | home::admin | files | @_Intranet/83 Best Practice/1 Videolanleitungen/CGM/PatientInnen | Online GKV Antrag Prob. 11.12/Anträge/Prot
admin | Abtretung | 155588 | home::admin | files | @_Intranet/83 Best Practice/1 Videolanleitungen/CGM/PatientInnen | Online GKV Antrag Prob. 11.12/Basisdokumen
admin | PVS-Einwi | 658279 | home::admin | files | @_Intranet/83 Best Practice/1 Videolanleitungen/CGM/PatientInnen | Online GKV Antrag Prob. 11.12/Basisdokumen
admin | 2824-08-0 | 8219 | home::admin | files | ?_Praxismanagement/6_Praxisevaluation/Ablage/Fragebogen/2824/03/2824-08-09T11Z |
admin | 2825-03 C | Questionnaire | df | files | ?_Praxismanagement/6_Praxisevaluation/Ablage/Fragebogen/2825/03/2825-03 CORE-0N, MPOQ-Modul Process Outcome Questionnair
admin | 2825-04 C | Questionnaire, Resilienzskala RS-1 | pdf | files | ?_Praxismanagement/6_Praxisevaluation/Ablage/Fragebogen/2825/04/2825-04 CORE-0N, MPOQ-Modul Process Outcome Questionnair

```

mit postgresql verbinden wie in Punkt DB Workaround

Dateien allg.

nur Pfad und Timestamp:

```
psql -U oc_nextcloud -d nextcloud_database
```

```
SELECT
  f.path,
  to_timestamp(f.mtime) AS modified,
  CASE
    WHEN f.path LIKE '%files_trashbin%' THEN 'Papierkorb'
    ELSE 'Aktiv'
  END AS status
FROM oc_filecache f
JOIN oc_storages s
  ON f.storage = s.numeric_id
LEFT JOIN oc_users u
  ON s.id LIKE CONCAT('home::%', u.uid, '%')
WHERE
  f.path LIKE '%SUCHBEGRIFF1%'
  AND f.path LIKE '%SUCHBEGRIFF2%'
  AND f.path NOT LIKE '%AUSSCHLUSS1%'
  AND f.path NOT LIKE '%AUSSCHLUSS2%'
ORDER BY
  modified DESC,
  status,
  f.path;
```

Einzeiler:

```
SELECT f.path, to_timestamp(f.mtime) AS modified, CASE WHEN f.path LIKE '%files_trashbin%' THEN 'Papierkorb' ELSE 'Aktiv' END AS status FROM oc_filecache f JOIN oc_storages s ON f.storage = s.numeric_id LEFT JOIN oc_users u ON s.id LIKE CONCAT('home::%', u.uid, '%') WHERE f.path LIKE '%SUCHBEGRIFF1%' AND f.path LIKE '%SUCHBEGRIFF2%' AND f.path NOT LIKE '%AUSSCHLUSS1%' AND f.path NOT LIKE '%AUSSCHLUSS2%' ORDER BY modified DESC, status, f.path;
```

Dateien incl. user und id

```
psql -U oc_nextcloud -d nextcloud_database
```

```
SELECT
  u.uid as username,
  f.name as filename,
  f.path,
  f.size,
  s.id as storage_name,
  to_timestamp(f.mtime) as modified,
  CASE
    WHEN f.path LIKE '%files_trashbin%' THEN 'Papierkorb'
    ELSE 'Aktiv'
  END as status
FROM oc_filecache f
JOIN oc_storages s ON f.storage = s.numeric_id
LEFT JOIN oc_users u ON s.id LIKE CONCAT('home::%', u.uid, '%')
WHERE f.name LIKE '%SUCHBEGRIFF%'
ORDER BY username, status, f.path;
```

danach kommt evtl. eine storage_id als mountpoint heraus, zb
8e03afba944e9d7a7d880d13a216f39d:

```
| 2405550 | home::admin | 2025-08-12 14:58:05+02 |
| 3979199 | home::admin | 2025-08-12 14:58:05+02 |
| 3408350 | home::admin | 2025-08-12 14:58:05+02 |
| 4154187 | home::admin | 2025-08-12 14:58:05+02 |
| 4154187 | home::admin | 2025-08-12 14:58:05+02 |
| 4987392 | home::admin | 2025-08-12 14:58:05+02 |
| 5058905 | home::admin | 2025-08-12 14:58:05+02 |
|         0 | 8e03afba944e9d7a7d880d13a216f39d | 2025-08-18 02:08:14+02 |
```

wenn das der Fall ist, kann man mit folgendem Query den Mountpoint herausfinden

```
SELECT
  s.id as storage_id,
  s.numeric_id,
  m.mount_point,
  m.storage_id as mount_storage_id,
  m.root_id
FROM oc_storages s
```

```
LEFT JOIN oc_mounts m ON s.numeric_id = m.storage_id
WHERE s.id LIKE '656a%'
ORDER BY m.mount_point;
```

```
nextcloud_database=> SELECT
  s.id as storage_id,
  s.numeric_id,
  m.mount_point,
  m.storage_id as mount_storage_id,
  m.root_id
FROM oc_storages s
LEFT JOIN oc_mounts m ON s.numeric_id = m.storage_id
WHERE s.id LIKE '8e03afb944e9d7a7d880d13a216f39d'
ORDER BY m.mount_point;
```

storage_id	numeric_id	mount_point	mount_storage_id	root_id
8e03afb944e9d7a7d880d13a216f39d	3	/3bd546a2daef14	6a5871e39b/files/Upload-C.H	3 2314875
8e03afb944e9d7a7d880d13a216f39d	3	/b08c4cdf2d0f1e0	f54f809851/	3 310240

(2 rows)

```
nextcloud_database=> |
```

Dann nur noch den User anhand der ID b08c4.... herausfinden, siehe Namen zu User-IDs herausfinden weiter unten:

```
SELECT * FROM oc_user_oidc WHERE user_id LIKE '%0654f.....%';
```

```
nextcloud_database=> SELECT * FROM oc_user_oidc WHERE user_id LIKE '%b08c4cdf2d0f1e06719ab'
id | user_id | display_name
+-----+-----+-----+
1 | b08c4cdf2d0f1e06719aba8fa92026ee2a8d311502488bd2d3576af54f809851 | Eike Folkerts
(1 row)
nextcloud_database=> |
```

Gelöschte Dateien in allen Papierkörben

```
SELECT
  u.uid as username,
  f.name as filename,
  f.path,
  f.size,
  s.id as storage_name
FROM oc_filecache f
JOIN oc_storages s ON f.storage = s.numeric_id
LEFT JOIN oc_users u ON s.id LIKE CONCAT('home::%', u.uid, '%')
WHERE f.name LIKE '%<SUCHBEGRIFF-DER-DATEI>%'
  AND f.path LIKE '%files_trashbin%'
ORDER BY u.uid, f.path;
```

Alte Shares löschen

```
php occ sharing:delete-orphan-shares
# oder
php occ sharing:delete-orphan-shares -f
```

Quelle: <https://help.nextcloud.com/t/delete-a-zombie-share/110900/5>

Activities einer Datei/Pfad

ausführlich

```
SELECT
    a.activity_id,
    TO_TIMESTAMP(a.timestamp) AS zeitpunkt,
    (ac.data::jsonb)->'displayname'->'value' AS name,
    a.subject,
    a.file,
    a.subjectparams
FROM oc_activity a
LEFT JOIN oc_accounts ac ON ac.uid = a."user"
WHERE
    a.object_type = 'files'
    AND (
        a.file LIKE '%SUCHBEGRIFF%'
        OR a.subjectparams LIKE '%SUCHBEGRIFF%'
    )
    AND a.subject IN (
        'created_self', 'created_by',
        'deleted_self', 'deleted_by',
        'renamed_self', 'renamed_by',
        'moved_self', 'moved_by',
        'changed_self', 'changed_by'
    )
```

```
ORDER BY a.timestamp DESC
LIMIT 50;
```

nur timestamp, file und username, ohne limit

```
SELECT
  TO_TIMESTAMP(a.timestamp) AS zeitpunkt,
  (ac.data::jsonb)->'displayname'->'value' AS name,
  a.file
FROM oc_activity a
LEFT JOIN oc_accounts ac ON ac.uid = a."user"
WHERE
  a.object_type = 'files'
  AND (
    a.file LIKE '%SUCHBEGRUFF%'
    OR a.subjectparams LIKE '%SUCHBEGRUFF%'
  )
  AND a.subject IN (
    'created_self', 'created_by',
    'deleted_self', 'deleted_by',
    'renamed_self', 'renamed_by',
    'moved_self', 'moved_by',
    'changed_self', 'changed_by'
  )
ORDER BY a.timestamp DESC;
```

Activities einer bestimmten File-ID anzeigen

```
# in postgresql docker-container:
psql usw siehe oben
SELECT * FROM oc_activity WHERE object_type = 'files' AND object_id = 'DEINE_FILE_ID' ORDER BY
timestamp DESC;
```

activity_id	timestamp	priority	type	user	affected_user	app	subject
12182234	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	ec1a01b31d86cc7c4274921792cc0c779ac4f7ea382a2c1acc64e417368d	files	["1324439"/"/P/oc_order/V2_P
12182193	1764315928	38	file_deleted	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	cdcfdbae43e4cc0518c2e297f77ee02e995dcdb49e3a94f53b18e900	files	["1324439"/"/PatientInnen Lea
12182194	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	admin	files	["1324439"/"/P/oc_order/V2_P
12182195	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	849cb31f178d1507df63876034af7f2ab04772918b2c83cc0894cb40e0	files	["1324439"/"/PatientInnen
12182196	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	abb8e5d923e93d9e4a3b379b2cca0934c08a9f823060c097feebb7fab	files	["1324439"/"/PatientInnen
12182197	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	f184bad19c371d6783ca07124cf4aade2e319f8a8808b3e07c07e07ee	files	["1324439"/"/PatientInnen
12182198	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	8c6d0831b5d1e697440c390371442e99e43b78444c393c90a09f2ca2833	files	["1324439"/"/PatientInnen
12182199	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	3bdf3bd6f8b38e39e2ca08d0e90b34d0dfcblc1fe380e10f6b7034bb	files	["1324439"/"/PatientInnen
12182200	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	07243c3f0d830b7c0272a27b0cd1201e6f0c0e9818c321b9f42772c0aa0	files	["1324439"/"/PatientInnen
12182201	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	d71aa0237af6d880b18b08f7c91f6099fca384c07ba41f045de4949182c28b	files	["1324439"/"/PatientInnen
12182202	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	a49804308e3a294262f2c7793c083709d089218a61c5b7c2f319282cc	files	["1324439"/"/V2_Praxismanagement
12182203	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	4f683314f8977440c390371442e99e43b78444c393c90a09f2ca2833	files	["1324439"/"/V2_Praxismanagement
12182204	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	files	["1324439"/"/V2_Praxismanagement
12182205	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	307d7e02833beba1e4444f181004c2c23a2b13b3d4d83597e0d5472b3af	files	["1324439"/"/V2_Praxismanagement
12182206	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	308f7bbd33c718412477c9e4184a0431a3c0af00f4387a7918301f70e0308	files	["1324439"/"/V2_Praxismanagement
12182207	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	3708ccf2744b22c023333149f394e004f8f9790b70694e3800c13d0f1	files	["1324439"/"/V2_Praxismanagement
12182208	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	62c81ca06f12a959781320b7111e4e3a1a0c40f6f931e9e97021eaa2ab	files	["1324439"/"/V2_Praxismanagement
12182209	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	b0c3317e997718420b72039f0d0f69222069237f057f90c849ec0801	files	["1324439"/"/V2_Praxismanagement
12182210	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	62c81ca06f12a959781320b7111e4e3a1a0c40f6f931e9e97021eaa2ab	files	["1324439"/"/V2_Praxismanagement
12182211	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	b0b61c81f8a0c20179f90c97b237de92cad0f6e9973e0db0720340e02831	files	["1324439"/"/V2_Praxismanagement
12182212	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	424f6c70170702330a313f011371979e704f70b027301022813d17f0930	files	["1324439"/"/V2_Praxismanagement
12182213	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	008f9af122c008f2930884f134e3409599e294483c1ee32780c2a6772a	files	["1324439"/"/V2_Praxismanagement
12182214	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	f2d0a70b071a770922a31c1c10b33b763ecdb8c0c79480e49032af840	files	["1324439"/"/V2_Praxismanagement
12182215	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	6ca10bd411272e99706f1906480e24e8c4e31aee09128c72a4802da	files	["1324439"/"/V2_Praxismanagement
12182216	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	107e07b27af6d880b18b08f7c91f6099fca384c07ba41f045de4949182c28b	files	["1324439"/"/V2_Praxismanagement
12182217	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	124e0891406f8f01d4e7f320f3c0d08e142444bc0df73747edd332859	files	["1324439"/"/V2_Praxismanagement
12182218	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	1f7c0542e725c0c1740f3a20b3f802303408e99120188a0c1ee32780c2a6772a	files	["1324439"/"/V2_Praxismanagement
12182219	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	28c7482d986f2cb989e9284f39d2c3143c2a1910248cfd415486f729804	files	["1324439"/"/V2_Praxismanagement
12182220	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	30b7c8d2c3b3e091063c0d5777ae784322a7c321d14b3070b30e080583	files	["1324439"/"/V2_Praxismanagement
12182221	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	3374402b740b192a03133e30f140800e10221e8e737c4b3d8e04d1c20f7	files	["1324439"/"/V2_Praxismanagement
12182222	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	4d670f1dc44c42f26922c24c01c1f2a37013a839e90b031f343f0970c421a	files	["1324439"/"/V2_Praxismanagement
12182223	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	00d098122929a0bac491b7306cae1250c3be20371002c0332ab3c977	files	["1324439"/"/V2_Praxismanagement
12182224	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	67b4b2c0df1f34b193202b509e2a24e0702725b06f06838c58c30b07d4	files	["1324439"/"/V2_Praxismanagement
12182225	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	930429340e841d2c02725d01f931f740711f770bc0d0830f1f4970e035a	files	["1324439"/"/V2_Praxismanagement
12182226	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	b088a171e0421110ef8edc19030c453397c104094b30d34090b72	files	["1324439"/"/V2_Praxismanagement
12182227	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	f0327bb9297184034f2e0e1b187320283770028d0dfad47f0d92e0	files	["1324439"/"/V2_Praxismanagement
12182228	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	f0d41fb1370c7f0bc7f0e3e18c0d80b20c3fe484371a34030e1963975	files	["1324439"/"/V2_Praxismanagement
12182229	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	b084c2d0f1e00719abaf89202e2a0311502488b02d3370a754989031	files	["1324439"/"/P/oc_order/V2_P
12182230	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	0ee02f0b007f730a0a33c9f2547dec090a1f0d24e6f30d0438995f0db	files	["1324439"/"/P/oc_order/V2_P
12182231	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	9089808094588333e31b0260e47821f7a9787f6920e0830730b0d17	files	["1324439"/"/P/oc_order/V2_P
12182232	1764315928	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	a70783f0049c35e4f81ed7b113060e018f8dfb741730e1800808986	files	["1324439"/"/P/oc_order/V2_P
12149437	1764180852	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	ccdfdbae43e4cc0518c2e297f77ee02e995dcdb49e3a94f53b18e900	files	created_by ["1324439"/"/PatientInnen Lea
12149438	1764180852	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	admin	files	["1324439"/"/P/oc_order/V2_P
12149439	1764180852	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	849cb31f178d1507df63876034af7f2ab04772918b2c83cc0894cb40e0	files	["1324439"/"/P/oc_order/V2_P
12149440	1764180852	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	abb8e5d923e93d9e4a3b379b2cca0934c08a9f823060c097feebb7fab	files	["1324439"/"/PatientInnen
12149441	1764180852	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	f184bad19c371d6783ca07124cf4aade2e319f8a8808b3e07c07e07ee	files	["1324439"/"/PatientInnen
12149442	1764180852	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	8c6d0831b5d1e697440c390371442e99e43b78444c393c90a09f2ca2833	files	["1324439"/"/PatientInnen
12149443	1764180852	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	3bdf3bd6f8b38e39e2ca08d0e90b34d0dfcblc1fe380e10f6b7034bb	files	["1324439"/"/PatientInnen
12149444	1764180852	38	file_changed	390a018e97d92ccf3cd609e87c3333fddbf844baf8ba1dd2938fd54899e4	07243c3f0d830b7c0272a27b0cd1201e6f0c0e9818c321b9f42772c0aa0	files	["1324439"/"/PatientInnen

Namen zu User-IDs anzeigen

```
# reguläre Nextcloud-User anzeigen
```

```
SELECT * FROM oc_users;
```

```
# OIDC-User anzeigen nach ID sortiert
```

```
SELECT * FROM oc_user_oidc;
```

```
# OIDC-User anzeigen nach Name sortiert
```

```
SELECT * FROM oc_user_oidc ORDER BY display_name;
```

```
# Nach speziellem Namen anhand der ID suchen
```

```
SELECT * FROM oc_user_oidc WHERE user_id LIKE '%0654f.....%';
```

Gruppen-IDs anzeigen

```
# in postgresql container bashen
```

```
docker exec -it nextcloud-db-1 /bin/bash
```

```
# in postgresql-db mit nextcloud einloggen
```

```
psql -U nextcloud nextcloud
```

```
# bzw. für nextcloud-ai0 manual-install container:
```

```
psql -U oc_nextcloud -d nextcloud_database
```

```
# oc_groups anzeigen
```

```
SELECT * FROM oc_groups;
```

```
nextcloud=# SELECT * FROM oc_groups;
```

gid	displayname
admin	admin
20e277f35bc3b2bb1	Testgruppe
2c262ccaa6b622e1d	
7bd9460be0a7376ed	
9ed49b494a710c200	
04a526da8b8f7a207	
b9aa6ebe6483876ec	
5ba07ce3ec488942a	
64702b39bb314432d	
716cb728abe7c562b	
a89562532267484a7	
1a694b092bfe358a3	

```
(12 rows)
```

Oder über occ und dann die ID der Benutzer abgleichen und Gruppenbezeichnungen raten:

```
docker exec -it -u 33 nextcloud-app-1 /bin/bash
```

```
php occ group:list
```

```
www-data@db9a3be4f2d6:~/html$ php occ group:list
- 04a526da8b8f7a20707e3b2efcedc1b30a306830c3095ee6e6060af4cfee8db7:
  - 1faad07b164549c8952a2b104fffe3ced8646b87836ebbc9ab453cf53081d86d
  - 396a618e97d9d2c6cf3cdd0500a7c3333fdbbf844b4afb8a1dd2938fd54896e4
  - 508ffb3d35c710412475c9e54184a64531a5c6af66f4587a7f9103b1ffb06360
  - 75e7740614c6cd880c8ef61e76eda5203d92223aeb131e767c501c3056d9f0bd
  - ac85c1a9d0fb2459978132dbf7511ede9a51a0546fdaf9031e9e979521eaa2b
  - b08c4cdf2d0f1e06719aba8fa92026ee2a8d311502488bd2d3576af54f809851
  - b2c82c52e4318e18a972e8f9e5493b2d44b4b2a27c2a0c79e2e4d76518f252e6
  - f2d6470bd7d1a776b22a5b13c416b33b703ecd8b8cade79486e4059632af04a0
- 1a694b092bfe358a39cef6010cfd3812ceb038a850fb2ef0299763189f85de3:
  - 3fe554848fc35bd264fd3d1b54e9a62d81dab07024e2b5743b933106390fd8b2
  - 67c8c3ee1c9ddfaac6568d4e09f6741d2d06fc19b40dd33733096cdfc07b551
  - 950bcb91cee5835615151a102458dc0c16e857afc8c969ce6858f3f886292830
  - abb8eb5d5923eb93d0e4a5b3879b2ccaa6934c004a9f025605c697fee9bb7fab
  - b08c4cdf2d0f1e06719aba8fa92026ee2a8d311502488bd2d3576af54f809851
  - 20e277f35bc3b2bb1f85c56f88c99934424ff2cdd67651e6fbbc2a8be8d6a5f7:
  - 28802acdd0be8e5f7689f04d317ec328fb838edddc8ba99bf72100785326c48c
  - b08c4cdf2d0f1e06719aba8fa92026ee2a8d311502488bd2d3576af54f809851
  - 2c262ccaa6b622e1de76e40471615b77acb95ff8adacb3a33c0fc861b8023c37:
  - b08c4cdf2d0f1e06719aba8fa92026ee2a8d311502488bd2d3576af54f809851
  - 5ba07ce3ec488942a0f76d04044c47d07911dd5ebc96823ce0a8a57988776f66:
  - 849cb51fa178db15d7d7eb303705654aff02ab64772910b22c03cc6894cb40e6
  - 96b89a8b89a63883853be31b8266e647852cfa9fba7cf69265e003e73db5ad17
  - abb8eb5d5923eb93d0e4a5b3879b2ccaa6934c004a9f025605c697fee9bb7fab
  - af07503f6649cc55e4fa81ed7b1136a66de186fadfbb741730eae100668b98eb
  - b08c4cdf2d0f1e06719aba8fa92026ee2a8d311502488bd2d3576af54f809851
  - 64702b39bb314432ddee5f510011d765265e8e013b099dce2c0579325019387e:
```

groupfolders:scan

- `occ groupfolders:create <name>` → create a group folder
- `occ groupfolders:delete <folder_id> [-f|--force]` → delete a group folder and all its contents
- `occ groupfolders:expire` → trigger file version expiration (see [Nextcloud docs](#) for details)
- `occ groupfolders:group <folder_id> <group_name> [-d|--delete] [write|share|delete]` → assign groups and their rights to a group folder
- `occ groupfolders:list` → list configured group folders
- `occ groupfolders:permissions` → configure advanced permissions (see below for details)
- `occ groupfolders:quota <folder_id> [<quota>|unlimited]` → set a quota for a group folder

- `occ groupfolders:rename <folder_id> <name>` → rename a group folder
- `occ groupfolders:scan <folder_id>` → trigger a filescan for a group folder

Quelle: <https://help.nextcloud.com/t/solved-occ-file-scan-not-working-for-groupfolder/94017>

Troubleshooting

Fehlermeldung beim Befehl `files:scan --all`

... "file.pdf" will not be accessible due to incompatible encoding ...

Verschreibung über Diagnose (GKV).pdf" will not be accessible due to incompatible encoding

Lösung: <https://github.com/nextcloud/server/issues/3136#issuecomment-579470343>

```
apt update
apt install convmv
# Entweder direkt ohne Test oder --notest weglassen um Vorgang zu testen
convmv -f utf-8 -t utf-8 -r --notest --nfc <nextcloud-data-folder>
```



via Portainer

https://www.reddit.com/r/NextCloud/comments/croxkm/how_to_use_occ_scan_on_a_docker_install/

https://docs.nextcloud.com/server/stable/admin_manual/configuration_server/occ_command.html#using-the-occ-command

zuerst in den Docker container gehen (zb Portainer oder über Konsole) und folgendes Kommando testen:


```
php occ maintenance:mode --on
```



evtl kommt folgende Fehlermeldung:

```
root@1dfd70a49980:/var/www/html# php occ maintenance:mode --on  
Console has to be executed with the user that owns the file config/config.php  
Current user id: 0  
Owner id of config.php: 33  
Try adding 'sudo -u #33' to the beginning of the command (without the single quotes)  
If running with 'docker exec' try adding the option '-u 33' to the docker command (without the  
single quotes)
```

danach die Konsole des Containers nochmal starten, diesmal mit dem vorgeschlagenen Nutzer (user id 33 in meinem Fall, wie in der Ausgabe vorgeschlagen):




und dann

```
./occ maintenance:mode --on
```

oder wenn man kein portainer nutzt:

```
docker exec container_name sudo -u 33 php7 /var/www/html/occ files:scan --all
```



WICHTIG

auf den Ordner achten. Auszug aus dem reddit post (siehe oben)

With something like this, the path to occ is important. It's either under `/config/www/nextcloud` or `/var/www/html`.

Also, if you see occ but you can't run commands like so - `occ files:scan <user>` then `./occ files:scan <user>` can sometimes fix it.

Revision #26

Created 2024-07-17 11:44:10 UTC

Updated 2026-04-02 08:40:01 UTC by Eike Folkerts