

Overleaf

- [Overleaf mit Docker-Compose](#)
- [Biblatex_Paket für Zitieren](#)

Overleaf mit Docker-Compose

Methode 1: Overleaf-Toolkit-Skripte

Link: <https://github.com/overleaf/toolkit>

Methode 2: Docker-Compose

Änderungen zum offiziellen docker-compose:

- Redis-Version 6.2
- Mongo-Version 4.4
 - bei mongo den command: "--replSet overleaf" unbedingt setzen, wenn MongoDB-Version > 4.0
 - ebenfalls healthcheck angepasst, sonst error im overleaf container
 - reverse-proxy settings

```
---
version: '2.2'
services:
  sharelatex:
    restart: always
    image: sharelatex/sharelatex:with-texlive-full
    container_name: sharelatex
    depends_on:
      mongo:
        condition: service_healthy
      redis:
        condition: service_started
    links:
      - mongo
      - redis
    volumes:
      - /var/lib/docker/volumes/sharelatex:/var/lib/sharelatex
    ports:
      - XXX.XXX.XXX.XXX:8280:80 #IP:Port nach außen angeben
    environment:
      EXTERNAL_AUTH: none
```

```
GIT_BRIDGE_ENABLED: false
GIT_BRIDGE_HOST: "git-bridge"
GIT_BRIDGE_PORT: "8000"
REDIS_HOST: redis
REDIS_PORT: 6379
SHARELATEX_MONGO_URL: mongodb://mongo/sharelatex
SHARELATEX_REDIS_HOST: redis
V1_HISTORY_URL: "http://sharelatex:3100/api"
```

```
# content of variables.env file
```

```
SHARELATEX_APP_NAME: "Strootnfruity Overleaf Instance"
ENABLED_LINKED_FILE_TYPES: 'project_file,project_output_file'
## Enables Thumbnail generation using ImageMagick
ENABLE_CONVERSIONS: true
# Disables email confirmation requirement
EMAIL_CONFIRMATION_DISABLED: true
# temporary fix for LuaLaTeX compiles
# see https://github.com/overleaf/overleaf/issues/695
TEXMFVAR: /var/lib/sharelatex/tmp/texmf-var
```

```
#Host Settings
```

```
VIRTUAL_HOST: overleaf.strootnfruity.de
#SHARELATEX_SITE_URL: overleaf.strootnfruity.de
SHARELATEX_NAV_TITLE: My Sharelatex Instance
#SHARELATEX_HEADER_IMAGE_URL: http://somewhere.com/mylogo.png
#SHARELATEX_ADMIN_EMAIL: NAME@gmail.com
SHARELATEX_LEFT_FOOTER: '["text": "Powered by <a
href=\\"https://github.com/sharelatex/sharelatex\\">ShareLaTeX</a>"]]'
#SHARELATEX_RIGHT_FOOTER: '["text": "rechter Footer Text"] ]'
SHARELATEX_EMAIL_FROM_ADDRESS: "hdung.nguyen@outlook.de"
#SHARELATEX_EMAIL_REPLY_TO: "hdung.nguyen@outlook.de"
```

```
# Nur setzten wenn ein HTTPS Reverse Proxy eingerichtet ist
```

```
SHARELATEX_BEHIND_PROXY: 'true'
SHARELATEX_SECURE_COOKIE: 'true'
```

```
#SMTP Settings
```

```
SHARELATEX_EMAIL_SMTP_HOST: smtp-mail.outlook.com
SHARELATEX_EMAIL_SMTP_PORT: 587
SHARELATEX_EMAIL_SMTP_SECURE: false
```

```
SHARELATEX_EMAIL_SMTP_USER: ...@outlook.de
SHARELATEX_EMAIL_SMTP_PASS: MYPW
SHARELATEX_EMAIL_SMTP_TLS_REJECT_UNAUTH: true
SHARELATEX_EMAIL_SMTP_IGNORE_TLS: false
# SHARELATEX_EMAIL_SMTP_NAME: '127.0.0.1'
# SHARELATEX_EMAIL_SMTP_LOGGER: true
# SHARELATEX_CUSTOM_EMAIL_FOOTER: "This system is run by department x"

# Setzt die Sprache der Seite auf Deutsch
SHARELATEX_SITE_LANGUAGE: 'de'
```

```
stop_grace_period: 60s
```

```
redis:
```

```
  restart: always
  image: redis:6.2
  volumes:
    - /var/lib/docker/volumes/redis:/data
  container_name: redis
  expose:
    - 6379
```

```
mongo:
```

```
  restart: always
  image: mongo:4.4
  container_name: mongo
  command: "--replSet overleaf"
  volumes:
    - /var/lib/docker/volumes/mongo:/data/db
  expose:
    - 27017
```

```
  healthcheck:
```

```
    test: "mongo --quiet --eval 'rs.hello().setName ? rs.hello().setName : rs.initiate({_id: \"overleaf\", members:[{_id: 0, host:\"mongo:27017\"}]})'"
    #healthcheck:
    #  test: echo 'db.stats().ok' | mongo localhost:27017/test --quiet
    interval: 10s
    timeout: 10s
    retries: 5
```


Biblatex_Paket für Zitieren

Overleaf CE Probleme mit biblatex Paket: <https://github.com/overleaf/overleaf/issues/1030>

Folgende Befehle im Container ausführen:

```
tlmgr update --self

tlmgr install revtex amsmath textcase listings fncychap biblatex cancel pdfpages setspace
footmisc bigfoot multirow lettrine minifp textpos subfig caption placeins epigraph pdfscape
ec cm-super biber biblatex times bibtex collection-latexrecommended collection-latexextra
collection-bibtexextra collection-fontsrecommended

tlmgr install collection-mathscience collection-pstricks collection-fontutils collection-
fontsextra collection-binextra

tlmgr install xetex

apt-get update && apt install -y context libxml-libxslt-perl cpanminus && rm -rf
/var/lib/apt/lists/*

mtxrun --generate && mktexlsr && updmap-sys && fmtutil-sys --all

cpanm install Module::Build && cpanm install PAR::Packer; rm -fr root/.cpanm; exit 0

tlmgr path add

% Nicht nötig
RUN cd /home && wget https://github.com/plk/biber/archive/refs/tags/v2.18.zip && unzip
v2.18.zip && cd biber-2.18/ && perl ./Build.PL && ./Build installdeps && ldconfig && ./Build
test && ./Build install
```